



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 18, 2019

Lisa Adamson
Regulatory Manager
Control Solutions, Inc.
5903 Genoa Red Bluff Rd.
Pasadena, TX 77507

Subject: Label Amendment – Adding product label insert
Product Name: PREFURRED PLUS IGR FOR DOGS
EPA Registration Number: 53883-351
Application Date: 16 October 2018
Decision Number: 545538

Dear Ms. Adamson:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.


Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 53883-351
Decision No. 545538

with FIFRA section 6. If you have any questions, please contact Dr. Helen Hull-Sanders by phone at 703-347-0243, or via email at hull-sanders.helen@epa.gov.

Enclosure

Sincerely,

A handwritten signature in cursive script that reads "J. Herrick". The signature is written in black ink and is positioned above the typed name.

Jacquelyn Herrick, Product Manager 03
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 1 of 16

Prefurred Plus IGR for Dogs

{Prefurred Plus IGR for Dogs: The CRP packaging to be used for this product is described as a CRP blister applicator and is supplied as a 3- and a 4- count in strips or as multiples of 3- and 4- counts.

A C C E P T E D

09/18/2019

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 53883-351

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 2 of 16

{CARTON LABEL - DRAFT MASTER LABEL COPY}

{Optional text appears in brackets – the final product label may include some or all of the optional text on front, back, side, folded label panels or on insert. The CRP required text will not change.}

{start of front panel} Prefurred Plus IGR for Dogs

{The word Dog to be a minimum of 75% the height of the largest letter in the primary brand name}

{ABNs:}

[Martin's FLEE™ Plus IGR for Dogs]

{There will be a 1.5 x 1.5 cm cat prohibition icon in a box located in the lower right hand corner of the front panel in yellow with black images.}



{Large, clear picture of a dog in the weight range for the product as packaged to be placed on the front panel of the label.}

{One of the below options will be present on the box **on the front panel** – in a text box.}

For use ONLY on dogs [&]and puppies [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] and over 8 weeks of age {OR}

For use ONLY on dogs [[&]and] puppies 5[-] [to] 22 lbs and over 8 weeks of age {OR}

ONLY For Dogs [&]and puppies [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] and over 8 weeks of age {OR}

ONLY For Dogs & Puppies 8 weeks or older [&]and] 5[-][to] 22 lbs

[[3][4][6][8][12][24] Applications]

[[3][6][12] Month Supply]

[4][8][12][24] Month Supply

[Prevents infestation of listed pests for [4 weeks][1 month]]

[Prevents establishment of additional infestation of listed pests] [Lift [here] for more information]

ACTIVE INGREDIENTS:

Fipronil..... 9.80%

(S)-methoprene..... 8.80%

OTHER INGREDIENT: 81.40%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] [or] [Label[s]] [Panel[s]] [Insert] for First Aid and Additional Precautionary Statements

See [inside flap] [or] [insert] and back panel for complete Directions for Use

Net Contents: X fl oz [Y – 0.0xx fl oz (x mL) applicators]

{X is the total fl oz, Y is the number of applicators, xx is the fl oz of each applicator with x being the corresponding amount in mL}

[0.023 fl oz (0.67 mL) applicators] [0.045 fl oz (1.34 mL) applicators]

[0.091 fl oz (2.68 mL) applicators] [0.136 fl oz (4.02 mL) applicators]

[3][Three][6][Six][12][Twelve] Applications]

[4][Four][8][Eight][12][Twelve][24][Twenty-Four] Applications

{END - FRONT PANEL}

{START – INSIDE PANEL/FLAP ON FRONT PACKAGE OR SIDE PANEL} {IF FLAP IS NOT USE, THE BELOW WILL BE ON INSERT}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 3 of 16

[[Brand Name] [This product] contains Fipronil and S-Methoprene [insect growth regulator] [IGR] to kill fleas and ticks [(including those that may transmit Lyme disease).] [The active ingredients in [Brand Name][This product] feature a sustained release formula developed for control of fleas, ticks, [mosquitoes] and chewing lice for up to [1 month] [[4][four] weeks] [30 days] {only one of these will be used consistently throughout the label} on dogs.]{END – INSIDE PANEL/FLAP ON FRONT PACKAGE OR SIDE PANEL}
{START – BACK PANEL}

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE and [5-22][23-44][45-88]
[89-132] lbs.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product. This product is not a substitute for prescribed Heartworm preventative.

FIRST AID {will be located on back panel}	
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-866-897-8050 for emergency medical treatment information.	

DIRECTIONS FOR USE {ON BOTH THE FLAP CONFIGURATION AND INSERT CONFIGURATION, THIS STATEMENT WILL BE ON THE BACK PANEL}

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

Restrictions {Will appear on inside front flap IF insert is not used; otherwise it will be on insert only}

Do not use on cats, rabbits or animals other than dogs.

Do not allow your dog to ingest this product.

Do not use on dogs or puppies under 8 weeks of age or less than [5][23][45][89] lbs.

Use entire contents of applicator on each dog.

Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.

Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Do not apply more than one applicator per treatment for one dog regardless of the dog's weight.

Do not bathe or allow water immersion (swimming) for 24 hours after application. The dog needs to be dry at the time of application and remain dry for 24 hours after application.

Do not apply more often than once every [4 weeks] [1 month] [30 days]. {only one of these will be used consistently throughout the label}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 4 of 16

{A box labeled "Side Effects" will be located on the back panel immediately above the cat warning box.}

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience [some] temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

{There will be a 1.5cm x 1.5cm cat prohibition icon and warning text in lower right hand corner of the back panel in yellow with black images.}



NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

{BELOW LANGUAGE WILL BE ON BACK PANEL}

{For cartons containing 0.67 mL (0.023 fl oz) applicator}

Only For Dogs Weighing 5 [-] [to] 22 lbs. and over 8 weeks of age. Do not apply to dogs weighing less than 5 lbs. :

Apply one applicator (0.67 mL)(0.023 fl oz) [from the back of the neck to a point midway between the neck and tail.]

[as a spot [on] [to] the dog's back between the shoulder blades.]

{For cartons containing 1.34 mL (0.045 fl oz) applicator} **Only For Dogs Weighing 23 [-] [to] 44 lbs. and over 8 weeks of age.**

Apply one applicator (1.34 mL)(0.045 fl oz) [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.]

{For cartons containing 2.68 mL (0.091 fl oz) applicator} **Only For Dogs Weighing 45 [-] [to] 88 lbs. and over 8 weeks of age.**

Apply one applicator (2.68 mL)(0.091 fl oz) [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.]

{For cartons containing 4.02 mL (0.136 fl oz) applicator}

Only For Dogs Weighing 89 [-] [to] 132 lbs. and over 8 weeks of age. Do not use more than one applicator for one dog regardless of the dog's weight.

Apply one applicator (4.02 mL)(0.136 fl oz) [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.]

FREQUENCY OF APPLICATION {ON BACK PANEL}

Use [Brand Name] [this product] [monthly] [every 4 weeks] [every 30 days] for control of flea, tick, [and] chewing lice, [and] mosquito infestations. Apply [monthly] [every 4 weeks] [every 30 days] to prevent flea reinfestation on your dog. Apply [monthly] [every 4 weeks] [every 30 days] to control ticks[,] [mosquitoes] and chewing lice. [Brand Name] [This product] remains effective even after bathing, water immersion, or exposure to sunlight 24 hours after application. Allow treated area to dry thoroughly before touching. Do not reapply for [one month] [4 weeks] [30 days]. {only one of these options will be used consistently throughout the label}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 5 of 16

{ON SIDE PANEL}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove applicator from the pack until ready to use. Store in a cool (below 77°F [25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[[WARRANTY] {Will appear on back or side panel IF insert is not used; otherwise it will be on insert only}

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

CONDITIONS: The directions for use of this product a must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product, the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer, to the extent consistent with applicable law

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.]

[If you have questions or comments about this product, please write: CSI Consumer Response, 5903 Genoa-Red Bluff Road, Pasadena, TX 77507]

[In Case of Emergency, call: XXX-XXX-XXXX]

[For more information]

[Non-Emergency, call XXX-XXX-XXXX]

{batch code will be printed somewhere on box}

Distributed by:
Control Solutions, Inc.
5903 Genoa-Red Bluff Road
Pasadena, TX 77507



CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 6 of 16

EPA Reg. No. 53883-351
EPA Est. No. XXXXX-XX-XXX

{END - BACK PANEL}

{START – FOLDED PANEL/FLAP OF FRONT OF PACKAGE} {IF FLAP IS NOT USED, THE BELOW WILL BE ON INSERT}

{Either the CRP blister applicator 3- Count or 4- Count SAUE opening instructions will be used and the term “applicator” will be used consistently throughout the label.}

{CRP blister applicator 3-count package}

How to open:

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator



CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 7 of 16


{CRP blister applicator 4-count package}

How to Open:

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator



{How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from an applicator on front, side, or back carton label and/or applicator labeling.}

How to Apply {will appear for both 3 and 4 applicator packages and will appear on back panel if front flap is not used}

1. Invert applicator over dog and use open end to part dog's hair.
2. Squeeze applicator firmly to apply all of the solution to the dog's skin [as a spot [on] [to] the dog's back between the shoulder blades.] {or} [from the back of the neck to a point midway between the neck and tail.]

{END – FOLDED PANEL/FLAP OF FRONT OF PACKAGE}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 8 of 16

{START OF INSERT}

MARTIN'S FLEE™ Plus IGR for Dogs

{One of the below options will be present on the insert.}

For use ONLY on dogs [&][and] puppies [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] and over 8 weeks of age

{OR} For use ONLY on dogs [[&][and] puppies 5[-] [to] 22 lbs and over 8 weeks of age {OR}

ONLY For Dogs [&][and] puppies [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] and over 8 weeks of age {OR}

ONLY For Dogs & Puppies 8 weeks or older [&][and] 5[-][to] 22 lbs

[[Brand Name] [This product] contains Fipronil and S-Methoprene [insect growth regulator] [IGR] to kill fleas and ticks [(including those that may transmit Lyme disease).] [The active ingredients in [Brand Name][This product] feature a sustained release formula developed for control of fleas, ticks, [mosquitoes] and chewing lice for up to [1 month] [[4][four] weeks][30 days] on dogs.] {only one of these options will be used throughout the label.}

WARRANTY

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

CONDITIONS: The directions for use of this product must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer, to the extent consistent with applicable law.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 9 of 16

product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.



Restrictions

Do not use on cats, rabbits or animals other than dogs.

Do not allow your dog to ingest this product.

Do not use on dogs or puppies under 8 weeks of age or less than [5][23][45][89] lbs.

Use entire contents of applicator on each dog.

Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.

Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Do not apply more than one applicator per treatment for one dog regardless of the dog's weight.

Do not bathe or allow water immersion (swimming) for 24 hours after application. The dog needs to be dry at the time of application and remain dry for 24 hours after application.

Do not apply more often than once every [4 weeks] [month][30 days].

**{Either the CRP blister applicator 3-Count or 4-Count SAUE opening instructions will be used and the term "applicator" will be used consistently throughout the label.}
{CRP blister applicator 3-count package}**

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 10 of 16

How to Open:

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator



{How to apply information will be found on back panel}

{CRP blister applicator 4-count package}

How to Open:

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 11 of 16

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator



{How to apply information will be found on back panel}



Distributed by: Control Solutions, Inc.
5903 Genoa Red Bluff, Pasadena, TX 77507-1041
EPA Reg. No. 53883-351 EPA Est. No. 0000000000

{END OF INSERT}

{Optional Claims}

{The claims will be located on the front panel/inside front panel/front of box ,back of box or on insert}

[Look at the Label (Look at the Label icon) [Easy]

6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow all directions for use.

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 12 of 16

- [2] Weigh your dog
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate treated dogs from each other and other pets until product has dried to avoid chance of ingestion
- [6] Do NOT split applicators between dogs [and use the ENTIRE applicator contents] and do not use more than one applicator [a month] [every 4 weeks] [every 30 days]

[Brand Name]

[[3][4][6][8][12][24][Month [Application] Tracker]

[For year-round protection, apply **[Brand Name]** [This Product] monthly.] [Dog's Name {Empty blank for owner to fill in name}]

[First][1st][Second][2nd][Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth][8th][Ninth][9th][Tenth][10th][Eleventh][11th][Twelfth][12th]

[Application]{Empty blank for owner to fill in date}{Date: MM/DD/YY}

[calendar stickers with **[Brand Name]** [This Product] [Place stickers on your calendar as a reminder to reapply **[Brand Name]** [This Product] in [30 days.] [a month] [4 weeks]

[Monthly Application Reminder Magnet {image of reminder magnet}]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for [30 days][a month][4 weeks]. At the end of [30 days][a month][4 weeks] the reminder light will blink, reminding you to reapply **[Brand Name]** [This Product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another [30 days.] [month.][4 weeks.]

{Mosquitoes}

[Kills mosquitoes]

{Chewing Lice}

[Kills chewing lice]

[Rapid elimination of chewing lice infestation]

[[A once [monthly][4 week][30 day] application required][Apply [monthly] [every 4 weeks][every 30 days] to control] [for] chewing lice]

{Adult Fleas}

[[Kills [adult] Fleas [for up to three months]]

[Kills newly emerged adult Fleas before they lay eggs]

[Kills Adult Fleas, which may be a source of [flea allergy dermatitis] [, flea bite anemia]] [Kills Fleas Up to [4 weeks] [1 month] [30 days]!]

[If dog is a high risk for flea reinfestation a once [monthly] [every 4 weeks] [every 30 days] application may be needed]

{Multiple Infestations}

[Kills chewing lice [and controls mites that may cause sarcoptic mange]]

[Flea [&] [and] Tick Control for Dogs [&] [and] Puppies 8 weeks old [&] [and] older] [5-22] [23-44] [45-88] [89-132] lbs.

[Kills fleas, flea eggs, ticks, chewing lice [&] [and] [mosquitoes]]

[Kills fleas, ticks, [mosquitoes], chewing lice, flea eggs, flea larvae [&] [and] [prevents the development of flea pupae]]

[Kills Fleas, Ticks [&] [and] [Mosquitoes]]

[Breaks the Flea Life Cycle [for up to three months]]

[Monthly protection from flea, tick, [mosquito], chewing lice and flea eggs for dogs]

[Monthly protection from flea, tick, [mosquito] and chewing lice for dogs]

[Kills fleas, ticks, [mosquitoes], flea eggs, and chewing lice]

[[Seven] [7] [Six] [6][Five][5] Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, flea eggs, [&][and]flea larvae [&] [and] prevent the development of flea pupae]

[[Six] [6] [Five] [5][Four][4] Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, [&][and]flea eggs [&] [and] flea larvae]

[[4 week] [1 month] [30 day] Flea [and] [&] Tick [Application] [Treatment]!]

[[Four (4) Week] [1 month] [30 day] [Flea, Tick, and Chewing Lice Control]

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 13 of 16

[[Four [4] Week] [1 month] [Flea, Tick, [Mosquito] and Chewing Lice Control]
[Use [Brand Name][This product] monthly to break the flea life cycle.]
[Use [Brand Name][This product] monthly to control ticks and chewing lice]
[Monthly protection from flea, tick, [mosquito,] flea egg, flea larvae and chewing lice for dogs.]
[Once A Month [4 week] [30 day] Flea, Tick, [Mosquitoes] [and] [Chewing Lice][Application] [Treatment]]
[Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days]!]
[Kills Fleas, [and] [&] Ticks [and Mosquitoes] for up to [4 weeks] [1 month] [30 days]!]
[Kills Fleas, Ticks, Flea Eggs [and] [&] Flea Larvae for up to [4 Weeks] [1 month] [30 days]]

{Ticks}

[Kills Ticks including those that may transmit Lyme disease]
[Kills Ticks for Up to [4 weeks] [1 month] [30 days]!]
[Kills [all stages of] deer ticks [including those that may transmit Lyme disease,] [for up to [4 weeks] [1 month] [30 days] [per application]]
[Kills Ticks (Including Deer Ticks) for up to [4 weeks] [1 month] [30 days]]
[Kills [brown dog ticks], [(*Rhipicephalus sanguineus*)] [American dog ticks,] [and] [lone star ticks][,][and deer ticks] [for up to [4 weeks] [1 month] [30 days]]
[Kills American Dog Ticks [(*Dermacentor variabilis*)] for up to [4 weeks] [1 month] [30 days]!]

{Flea Eggs and Larvae}

[Prevents flea reinfestation on your dog]
[Kills adult fleas, flea eggs, flea larvae, and prevents the development of pupae.]
[Controls all stages of the flea (including adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]
[Effective against all stages of the flea (including adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]
[A dog at a high risk for flea reinfestation may need a monthly application]
[Prevents from developing, flea eggs [larvae] [pupae] for up to [3 months] [12 weeks]]
[With (S)-methoprene Insect Growth Regulator [IGR] which Breaks the Flea Life Cycle] [With (S)-methoprene to Break Flea Life Cycle]
[With Insect Growth Regulator [IGR] to Break Flea Life Cycle]
[Dual Action (!): Fipronil with (S)-methoprene IGR [insect growth regulator] Breaks the Flea Life Cycle]

[Kills Flea Eggs & Flea Larvae for [up to 3 months] [up to 12 weeks]!] [Prevents Flea Eggs From Developing Into Biting Adults]
[Prevents all stages of the flea life cycle from developing]
[Controls reinfestation of fleas on your dog for up to 3 months]
[Effective against all stages of the flea life cycle]
[Controls all stages of the flea life cycle]

{All Others}

[For Dogs and Puppies 8 weeks of age or older and [5-22][23-44][45-88][89-132] lbs.]
[Can be used on puppies 8 weeks of age and older and [5-22][23-44][45-88][89-132] lbs.]
[Formulated for Dogs and Puppies 8 weeks of age or older and [5-22][23-44][45-88][89-132] lbs.]
[For Dogs and Puppies 8 weeks of age or older and [5-22 lbs.], [23-44 lbs.], [45-88 lbs.], [89-132 lbs.]

[Convenient spot treatment] [Easy to Use [Application]] [Best if used year round!]
[For year-round protection, apply [Brand Name] monthly]
[(ICON Showing [30 day] Protection)] [Apply monthly] [once every 4 weeks] {note to reviewer: see below for 30 day icon}
[Prevents reinfestation of listed pests on your dog for [4 weeks] [1 month]] [Apply once every [4 weeks] [month] [30 days]!]
[4 Week Dose!] [1 Month Dose!] [30 Day Dose!]
[Three Applications][Four Applications][Six Applications][12 Applications][24 Applications] and/or [3 Month Supply][4 Month Supply][6 Month Supply][12 Month Supply][24 Month Supply] or [8 Week Supply][12 Week Supply][16 Week Supply][24 Week Supply][48 Week Supply][52 Week Supply][104 Week Supply]
[Controls mites that may cause sarcoptic mange]
[Waterproof 24 hours after application]
[Effective after bathing and exposure to water and sunlight 24 hours after application]
[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet][inside]] [[Free] Calendar Stickers Inside!]
{FREE statement will accompany the application reminder, it will not stand alone}

CSI Master Label

Information in [] is optional
 Text in () is meant to be included on the label
 Information in { } is a note to the reviewer

October 15, 2018
 53883-351
 Page 14 of 16

[Fipronil (9.8%) + (S)-methoprene (8.8%)]

{three statements below will accompany one another on label}

Contains fipronil and (S)-methoprene, the active ingredients used in FRONTLINE® Plus for Dogs. FRONTLINE® is a registered trademark of Merial.

Prefurred Plus IGR for Cats is not manufactured or distributed by Merial, seller of FRONTLINE® Plus for Dogs.

{Optional graphics below may or may not appear anywhere on finished label}


	Adult Flea	
	Fleas	
	Flea eggs	
	Flea Larvae	
	Flea Pupae	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Chewing Lice	
	Lone Star Tick	
	Mosquitoes	
	Mite	




CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 15 of 16



[Flea life cycle diagram] [Flea Life Cycle]



END - PACKAGE COPY}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-351
Page 16 of 16

{START – BLISTER APPLICATOR LABEL}

{the below text will be included on each separate blister applicator}

{lot number will be embossed on each blister applicator}

{each blister applicator has a clear plastic front and white foil backing with black printing}

{printed on back of blister applicator}

<p>{Brand Name} For Dogs [&][and] puppies [5[-] [to] 22 lbs] [23[-] [to] 44 lbs] [45][-] [to] 88 lbs] [89[-] [to] 132 lbs] and \geq8 wks fipronil 9.8%, s-methoprene 8.8% 0.023 fl oz {or} 0.045 fl oz {or} 0.091 fl oz {or} 0.136 fl oz {label code}</p>	 <p>KEEP OUT OF REACH OF CHILDREN CAUTION: Read entire label before use. Use scissors to open. EPA REG. No. 53883-351 {label code}</p>
---	---

{END – APPLICATOR LABEL}